

## DOE-FEMP's Geothermal Heat Pump (GHP) Technology-Specific Super ESPCs


Doug Culbreth
GHP Super ESPC Contracting Officer's Rep
Federal Energy Management Program



www.energy2003.ee.doe.gov

August 17-20, 2003

**GHP Super-ESPC ESCOs** Constellation Energy Source, Inc. Alliant Energy Integrated Services -Cogenex (410) 907-2017 Douglas Sattler (610) 278-5629 joseph.maranto@constellation.com dsattler@alliantenergyisco.com Ameresco Solutions, Inc. Trane, Asset Management Services Jeff Rud rpayne@ ameresco.com (651) 407-3827 irud@trane.com http://www.eere.energy.gov/femp/financing/espc/tech\_contacts.html#ghp August 17-20, 2003 www.energy2003.ee.doe.gov



#### \$55 Million in GHP Super ESPC Projects Patuxent River Naval Air Station \$4.8 • State Department, Seoul, Korea \$5.6 Aberdeen Proving Grounds \$5 Marine Air Corps Station Beaufort \$11.2 · Rock Island Arsenal \$7.8 • Carlisle Barracks, Army \$9.4 · Oceana Naval Air Station and Little Creek Amphibian Base \$8.2 • 8th Army, Korea \$2.8 August 17-20, 2003 www.energy2003.ee.doe.gov



## GHPs are adaptable to almost any type of building — residential or commercial — Military family housing — Barracks — Office buildings — Etc. GHPs can be configured to fit a wide range of sites and

circumstances

August 17-20, 2003



August 17-20, 2003

www.energy2003.ee.doe.gov

# Provide support to FEMP project facilitators for Super ESPC projects Provide technical assistance to other projects Use project data and experience to prove techniques provide data for tools and guides Resolve technical issues to assist federal sites Leverage work already done or ongoing by GHPC, IGSHPA, ASHRAE, others

www.energy2003.ee.doe.gov



### **Example of Technical Assistance:** Reliable Design Tools Ground loop size dominates system cost ORNL benchmarked widely used sizing methods in 1996 -200 sizes varied by 100%. · Spurred by ORNL's study, vendors improved their methods significantly by 1999.





## Oceana Success Story

- ECM's GHP, lighting, motors/drives, plug load, water, and HVAC
- Term 14 years, 11 months
- Award Date December 24, 2002
- Agency Contact Bob Harvey

August 17-20, 2003

vww.energy2003.ee.doe.gov

12



## Rules of Thumb

- Typical savings from replacing conventional HVAC systems with GHPs (total building energy use)
  - Nonresidential buildings 15 25%
  - Residential as high as 40%
- Spaces conditioned at least 40 hours per week are best candidates
- Replacing older, less efficient equipment is most economical

August 17-20, 2003

#### Rules of Thumb

- Higher energy costs generally favor GHP economics
- Economics are improved by using waste heat generated during cooling (i.e., dumping heat into water heaters via desuperheaters)
- Bundling GHPs with ECMs with relatively short payback periods improves project economics
- Maintenance cost savings from GHPs are often significant and can make them the most costeffective choice
- Capital cost is reduced if parts of existing system (i.e., ductwork) can be used with new GHPs



### **Getting Started**

- Contact Doug Culbreth
  - 919-870-0051
  - carson.culbreth@ee.doe.gov
- Mini-feasibility studies can be done at no cost to the agency to determine whether GHPs will work at site
- Services of a FEMP project facilitator are FREE through the initial proposal stage

August 17-20, 2003

www.energy2003.ee.doe.gov

16

